


Measurement configuration:

Type of measurement tube	: SAB – 105_30	Averaging number	: 50
Tube length	[mm] : 280	Measurements	: 1600
Tube diameter	[mm] : 30	Temperature [°C]	: 20
Microphone distance	[mm] : 24	Air pressure [Pa]	: 1013,25
Distance Microphone - Material	[mm] : 90	Chamber volume	: 71 cm ³


Measurements performed by TITK institute, TFS DYNPACK v01.00.22, Sound Absorption Protocol at 08/08/2008.

Typical application for loudspeaker damping plans:



As shown in these graphs a density of only 3-10 grams/litre volume is sufficient for loudspeaker applications.

Typical application for damping panels and tubetraps:



As shown in these graphs, low frequencies will be damped less the more you fill for example hollow walls or sound absorbing panels and tubes, since it becomes more and more dense and so more or less responding to low frequency vibrations.


Twaron® Angel Hair in original T1076, self-expanding, homogenous and very soft quality is available in 50g (5-16 litres), 100g (10-30 litres) and 200g (20-60 litres) bags. Other OEM package volumes on request. Due to copycat actions we now only supply these bag volumes. Original quality identified by our ELTIM logo.

Worldwide distribution of this original (T1076), expanding quality by
ELTIM audio BV, Eenrummerweg 5, NL-9961 PC Mensingeweer, the Netherlands
 Tel. +31 (0)595 491748 Fax. +31 (0)595 491946 Email info@eltim.eu Web www.eltim.eu

More info and dealer addresses: www.twaron-angelhair.com



Our original, T1076 quality is self-expanding, free of rest particles and feels very soft.



Clean structure under a microscope.



Angel Hair compared with a human hair.



A bag of 100g fills 10-35 litres of cabinet volume.
Original quality identified by our Logo sticker.